

Nephrologists' College 2010-2011

ANNUAL MEETING AND CAREER

CONFERENCE OF THE COLLEGE

DIALYSIS PATIENTS

11-13 November 2010, Hotel Hilton, London

Autonomy in belgian dialysis patients: rationale & background I

- 2009-2010: KCE report
 - Based on survey 8/53 dialysis centres
 - In essence description of current belgian reimbursement system for dialysis
 - Extremely contentious conclusions
 - Launched in lay press without any consultation with Belgian Nephrologists
- 2010-2011: Nephrologists' college project

Autonomy in Belgian dialysis patients: rationale & background II

④ Nephrologists' college project

- › Cross-sectional study of autonomy/level of care dependency in Belgian dialysis patients
- › Endorsed by NBVN/GNFB and Orpadt
- › Broad coverage (75% of all patients)
- › Allowing clear conclusions
- › Particularly revealing difference 'high care' dialysis versus other forms

Autonomy survey: design

Survey answered by patient + nursing team

① Medical - technical items


- › dialysis modality – access
- › age – diabetes – amputations – cecity – wound care – hospitalisation

② Care level – (ambulatory) autonomy

- › continence – type of balance – food preparation – drug management
- › transportation – physical mobility – residency – employment


Cf attached question list in French/Dutch

Autonomy survey: results




Autonomy survey: results


Toegangsweg bij HD




Toegangsweg bij CAD




Autonomy survey: results




Autonomy survey: results




Autonomy survey: results




Autonomy survey: results




Autonomy survey: results




Autonomy survey: results




Autonomy survey: results



Autonomy survey: results




Autonomy survey: results




Idem dito differences for 'standing alone' (CAD/PD>> HD)
and 'standing with help' + chair balance (CAD/PD<< HD)


Autonomy survey: results




Autonomy survey: results




Autonomy survey: results




Autonomy survey: results



Autonomy survey: results




Autonomy survey: results




Autonomy survey: conclusions

- Dialysis population: high level of frailty!
- Nevertheless clear difference high vs low care
- Despite increasingly ageing dialysis population
- Despite moratorium high care
- Future: cross-sectional → longitudinal

Increasing risk for frailty?



Judicious patient triage by nephrologists – reaching its limits



Autonomy survey 2010

Many thanks to



Participating nephrologists + patients!